

AMENDMENTS TO THE CLAIMS

Please amend the claims as follows:

Listing of Claims:

Claim 1 (Currently Amended): A nonaqueous electrolyte secondary battery comprising:

a positive electrode;

a negative electrode ~~containing~~ including an alloy having a CeNiSi₂ type crystal structure; and

a nonaqueous electrolyte.

Claim 2 (Original): The nonaqueous electrolyte secondary battery according to claim 1,

wherein a lattice constant of crystal axis “a” of the CeNiSi₂ type crystal structure falls within a range of 3.5Å to 5.5Å.


Claim 3 (Original): The nonaqueous electrolyte secondary battery according to claim 2,

wherein said lattice constant falls within a range of 4Å to 5Å.

Claim 4 (Currently Amended): The nonaqueous electrolyte secondary battery according to claim 1, wherein the alloy ~~contains~~ includes at least one kind of element selected from the group consisting of P, Si, Ge, Sn and Sb.

Claim 5 (Currently Amended): The nonaqueous electrolyte secondary battery according to claim 4, wherein the alloy further ~~contains~~ includes at least one kind of element having an atomic radius falling within a range of 1.6×10^{-10} m to 2.2×10^{-10} m.

Claim 6 (Currently Amended): The nonaqueous electrolyte secondary battery according to claim 1, wherein the alloy has a composition represented by a formula ~~(A)~~ given below:



where Ln denotes at least one kind of element selected from the elements having an atomic radius falling within a range of 1.6×10^{-10} m to 2.2×10^{-10} m, M1 is at least one element selected from the group consisting of Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, and Nb, M2 is at least one element selected from the group consisting of P, Si, Ge, Sn and Sb, and x and y satisfy the conditions of $0.5 \leq x \leq 1.5$ and $1.5 \leq y \leq 3.5$.

Claim 7 (Original): The nonaqueous electrolyte secondary battery according to claim 6, wherein the element Ln is at least one element selected from the group consisting of La, Ce, Pr, Nd, Pm, Sm, Mg, Ca, Sr, Ba, Y, Zr and Hf.

Claim 8 (Original): The nonaqueous electrolyte secondary battery according to claim 6, wherein the atomic ratio x satisfies $0.6 \leq x \leq 1.3$.

Claim 9 (Original): The nonaqueous electrolyte secondary battery according to claim 6, wherein the atomic ratio y satisfies $1.7 \leq y \leq 2.5$.

Claim 10 (Currently Amended): The nonaqueous electrolyte secondary battery according to claim 1, wherein the negative electrode satisfies a formula ~~(B)~~ given below:

$$0.95 \geq (w/d)/\rho \geq 0.55 \quad (\text{B})$$

where ρ denotes a true density (g/cm^3) of the alloy, d denotes a thickness (μm) of the negative electrode, and w denotes a weight per unit area (g/m^2) of the negative electrode.

Claim 11 (Original): The nonaqueous electrolyte secondary battery according to claim 1, wherein the alloy is a single phase alloy or a polyphase alloy.

Claims 12-17 (Cancelled).